

SUBJECT INDEX

b - Book review *c* - Correspondence *r* - Conference report

- Actinomycete spores
 - identification and counting 241-248
 - occupational exposure to 515-533
- Agriculture,
 - exposure to spores in 521-522
 - See also* Farm buildings; Sugar cane
- AIDS, and occupation 69-82
- Air sampling
 - for dust control assessment 45-46
 - of ammonia, field methods 399-404
 - of bacteria 104
 - of cotton dust 104-105
 - of fungal spores 241-248
 - of protease aerosols 499-508
 - of vinyl acetate in air 405-410
- Air sampling instruments
 - cyclones 419-421
 - diffusive 333-343, 399-404
 - for highly-charged droplets 453-460
 - impactors 241-248
 - konimeters 427-428^c
 - on-line biosensor 499-508
 - personal respirable dust 129-143
 - sampling tubes 405-410
- Air sampling theory, non-spherical particles 221-234
- Allergens, occupational 515-533
- Aluminosilicate fibres, *See* Ceramic fibres
- Alveolitis, allergic, fungi and actinomycetes implicated in 518-521
- Ammonia, analysis in ambient air 399-404
- Analytical methods
 - for ammonia 399-404
 - for azodicarbonamide 203-206
 - for metal hydrides 385-397
- Andersen impactor, sampling fungal spores 241-248
- Animal experiments, design and analysis 254-255^b
- Animal fibres, confusion with chrysotile in bulk samples 545-547
- Antimony, *See* Stibine
- Arsine, determination 385-397
- Asbestos
 - clearance
 - automated sample analysis 115-128
 - certification 423-426
 - degradation of charged filters 279-294
 - environmental health criteria 433-434^b
 - personal exposure during clearance certification 423-426
 - See also* Chrysotile
- Aspergillus* sp. spores, identification and counting 241-248
- Asthma occupational
 - fungi implicated in 517-518
 - microbial products exposure 526-527
- Azodicarbonamide, sampling and analysis 203-206
- Bacteria,
 - airborne, in textile mill 105-109
 - See also* Actinomycete spores
- Best practicable means (BPM) 264-265
- Biological monitoring
 - mercury in urine 83-93
 - organic chemical exposure 435-438^b
 - PAH 35-43
- Birth defects and chemical exposure 440-441^b
- Blowing agent, plastics processing 203-207
- Brazing fume, composition 489-497
- Brick dust, degradation of charged filters 278-294
- British Occupational Hygiene Society (BOHS)
 - conferences
 - annual 1987 1-19, 35-82, 147-150, 241-248, 489-497
 - annual 1988 261-270, 295-315, 445-449, 515-533, 549-551
 - respiratory protective equipment 147-150
 - Hygiene standards, cotton dust 111-112
 - President 1988-1989: F.S. Gill 259-260
- Bulky samplers, non-spherical partial aspiration 221-234
- Byssinosis
 - and airborne dust concentrations 105-113
 - in 'hard fibre' ropeworks 249-251
- Cadmium
 - and cancer 557-560^r
 - temperature effect on emission during brazing 497
- Caissons, radon daughter levels in 317-323
- Cancer
 - and asbestos 433-434^b
 - and cadmium 557-560^r
 - and MMMF 430^c
 - and tobacco 442-443^b
 - research, statistical methods 254-255^b
- Carcinogenicity
 - of silica and silicates 255-256^b
 - of welding fume 191-202

Subject Index

- Ceramic fibres
 - airborne, size distribution 237-240
 - devitrification 171-178
- Chemicals
 - organic, biological monitoring 435-438^b
 - processing, health hazard control 561-562^b
 - short-term exposure evaluation 21-33
- Chromium, cytotoxicity 98-99
- Chrysotile, confirmatory test for bulk sample identification 545-547
- CIP 10 dust sampler 129-143
- Cleaners, dust exposure at construction sites 215-220
- Coal dust, degradation of charged filters 278-294
- Coke-oven fume, degradation of charged filters 279-294
- Cold/wet environments, protective clothing for 549-550
- Construction sites, cleaners' dust exposure 215-220
- Contaminated land, occupational hygiene 209-213
- Cotton dust
 - and byssinosis 103-113
 - personal *cf.* work zone concentrations 105-113
- Counting precision, mould spores 471-479
- Creosote impregnation, and PAH exposure 36-37
- Cristobalite formation 171-178
- Crop spraying, operator exposure 451-561
- Cyclone sampler, test for leaks 419-421

- Damping of exposure to chemicals 21-33
- Devitrification of ceramic fibres 171-178
- Dichloroethane, environmental health criteria 253-254^b
- Diesel exhaust, and PAH exposure 39-40
- Diffusive samplers
 - for ambient ammonia 399-404
 - thick sorbent 333-343
- Displacement ventilation, air exchange efficiency 481-488
- Drilling fluids, hazards and control 325-332
- Dust control
 - assessment 45-46
 - in construction site cleaning 219
 - techniques 45-57
- Dust index scale 542-544
- Dustiness estimation technology 535-544
- Dusts, and respiratory disease 438-439^b

- Education, occupational hygiene 18-19, 411-417
- Electrodyn crop sprayer, operator exposure 451-561
- Endotoxins
 - airborne, in textile mill 105-109
 - and lung disease, 553-556^r
- Environmental pollution control 261-270
- Environmental tobacco smoke, analysis and measurement 442-443^b
- Enzymes, proteolytic, on-line detector for 499-508
- European Community, ERASMUS programme 411-417
- Exposure limits
 - ionizing radiation 253^b
 - oil-based drilling fluids 328
 - USA 446-449
- Exposure variability, physiological damping 21-33

- Farm buildings
 - ammonia levels in 399-404
 - fungal spores in 243-247
- Feet, protection in cold/wet environments 550-551
- Fibre sample evaluation, automated, clearance samples 115-128
- Filters
 - effect of aerosol loading on 271-294
 - efficiency
 - aerosol type effect 271-294
 - filtration velocity effect 304-315
 - moisture effect 315
 - particle size effect 301-315
 - electrostatically-charged materials for 271-294
 - nuclepore, counting of spore samples on 471-479
- Fire retardants/extinguishants, pyrolysis products 463-470
- Food processing, fungal and actinomycete spores exposure 523-524
- Foundries, jobbing, airborne lead in 145-146
- Foundry dust, degradation of charged filters 278-294
- Fungal spores
 - counting 241-248, 471-479
 - identification 515-533
 - occupational exposure to 515-533

- Galvanizing, hot dip, air emissions 179-189
- Gas chromatography/mass spectrometry, analysis of pyrolysis products 463-470
- Gasworks, site redevelopment 210-213

- Hazard Communication Standard (USA) 446-447
- Health and safety, directory 151^b, 564-565^b
- Human factors, and occupational hygiene 4-11
- Human immunodeficiency virus (HIV), and occupation 69-82

- Institute of Occupational Hygienists, asbestos clearance certification code 423-426
- International Occupational Hygiene Association (IOHA) 257-258

Subject Index

- Konimeters, sampling characteristics 427-428^c
- Landfill sites, occupational hygiene 209-213
- Lead, airborne, in jobbing foundry 145-146
- Lead-bearing aerosols, degradation of charged filters 279-294
- Leather fibres, confusion with chrysotile in bulk samples 545-547
- Legionnaires' disease 59-61, 63-67
- Legislation, USA 446-449
- Local exhaust ventilation (LEV)
 - flow models, circular hoods 373-384
 - performance assessment 46-55
- Macrophages, and welding fume particulate 95-102
- Magiscan, for clearance samples 114-125
- Magnetic fields, environmental health criteria 434-435^b
- Man-made mineral fibres (MMMF), and cancer 430^c
- Manchester Asbestos Program (MAP), clearance and low density samples 115-128
- Mass spectrometry, identification of pyrolysis products 463-470
- Material safety data sheets 446-449
- Mercury analysis in urine, quality assurance 83-93
- Microbial products, causing occupational asthma 526-527
- Mineral fibres
 - and respiratory disease 438-439^b
 - environmental health criteria 433-434^b
- Monitoring, oil-based drilling fluids 328-330
- Mould spores, aggregation effect on counting 471-479
- Mullite formation 171-178
- Mushroom farms, exposure to spores 522-523
- Nuclepore filter sampling, fungal spores 241-248
- Occupational diseases, early detection 151-152^b
- Occupational exposure, to fungal and actinomycete spores 520-527
- Occupational hygiene
 - education 18-19, 411-417
 - international cooperation 411-417
 - philosophy 1-19
- Occupational lung diseases 563-564^b
- Occupational safety and health
 - in USA 445-449
 - international cooperation 445-449
- Oil-based drilling fluids, hazards and control 325-332
- Organic toxic dust syndrome 517
- Paint shops, organic solvent levels in 509-513
- Paints, pyrolysis products 463-470
- Passive smoking, analysis and measurement 442-443^b
- Penicillium* sp. spores, identification and counting 241-248
- Personal samplers, respirable dust 129-143
- Pesticide spraying, operator exposure 451-561
- Physiological damping, exposure variability 21-33
- Plastics processing, azodicarbonamide concentrations 203-207
- Pollution control 261-270
- Polycyclic aromatic hydrocarbons (PAHs)
 - biological monitoring 35-43
 - in sugar-cane harvesting 155-165
- Pontiac fever 59-61
- Poultry houses, ammonia levels in 399-404
- Printing inks, and PAH exposure 40-41
- Printing plant, displacement ventilation in 481-488
- Protease aerosol detection system 499-508
- Protective clothing
 - cold/wet environments 549-551
 - oil-based drilling fluids 331-332
- Pyrolysis products, of fire retardants/extinguishants 463-470
- Quality assurance scheme, mercury in urine analysis 83-93
- Quality management, and occupational hygiene 6-8
- Quartz exposure, construction site cleaners 215-220
- Radiation, ionizing, exposure limits 253^b
- Radon daughters
 - indoor exposure 440^b
 - levels in caissons and tunnels 317-323
- Redevelopment of contaminated land, occupational hygiene 209-213
- Respirable dust, personal sampler for 129-143
- Respiratory diseases
 - and dusts 438-439^b
 - and endotoxin 553-556^r
 - occupational 563-564^b
- Respiratory protective equipment (RPE)
 - and dust exposure control 55-57
 - asbestos clearance certification 423-426
 - conference 147-150
 - economics 149-150
 - effectiveness 149-150
 - electrostatic filter degradation 271-294
 - filtration efficiency 271-294, 295-315
 - full-facepiece 361-372
 - half-facepiece 345-359
 - in-facepiece sampling bias 345-359, 361-372
 - nuisance dust masks 295-315
 - selection 148-149
- Roadworkers, PAH exposure 37-39
- Ropeworks, byssinosis in 249-251

Subject Index

- Sampling tubes, for vinyl acetate in air 405-410
- Scanning electron microscopy (SEM), evaluation of fungal spores 241-248
- Silica
 - carcinogenic risk 255-256^b
 - dust, degradation of charged filters 278-294
 - fibres, in sugar-cane harvesting 153-169
- Silicates
 - carcinogenic risk 255-256^b
 - See also* Asbestos; Ceramic fibres
- Simpeds sampler, test for leaks 419-421
- Sisal, and byssinosis 249-251
- Sister chromatid exchange (SCE), induction by welding fume particulate 191-202
- Smoking, health hazards 442-443^b
- Solvents, air levels in vehicle paint shops 509-513
- Sorbents, for diffusive samplers 333-343
- Spores
 - aggregation of 471-479
 - counting 241-248, 471-479
 - identification 241-248
 - occupational exposure to 515-533
- Spraying, charged droplets 451-561
- Standards, setting 5-6
- Stannane, determination 385-397
- Statistical methods, survival data analysis 254-255^b
- Stibine, determination 385-397
- Stress, occupational 430-432^b
- Submarine escape immersion suit 549-550
- Sugar-cane harvesting, silica fibres and PAH exposure 155-165
- Teratogens 440-441^b
- Textile industry, airborne dust concentrations 105-113
- Tin *See* Stannane
- Tobacco, health hazards 442-443^b
- Toluene, air levels in vehicle paint shops 509-513
- Tracer gas, air exchange efficiency measurement 481-488
- Transmission electron microscopy (TEM), size distribution of airborne ceramic fibres 237-240
- Tunnels, radon daughter levels in 317-323
- Vehicle manufacture, hazardous materials control 562-563^b
- Vehicle paint shops, organic solvent levels in 509-513
- Ventilation, *See* Displacement ventilation; Local exhaust ventilation
- Ventilation rate, measurement by age analysis 481-488
- Vinyl acetate, determination in air 405-410
- Waste composting, fungal and actinomycete spores exposure 523
- Welding fume particulate
 - cytotoxicity 95-102
 - sister chromatid exchange induction 191-202
- Wet/cold environments, protective clothing for 549-550
- Xylene, air levels in vehicle paint shops 509-513
- Zinc compounds, exposure in hot-dip galvanizing 179-189

AUTHOR INDEX

b - Book review *c* - Correspondence *r* - Conference report

- Aalen, O. 471
Allender, J.R. 345, 361
Andersson, B. 405
Andersson, K. 405
Anzion, R.B.M. 35
Arkesteyn, C.W.M. 95
Audisio, G. 463
- Bailey, S. 423
Baker, K. 549
Bakker, G.L. 191
Baril, M. 179
Barraclough, N. 151^b
Bartley, D.L. 333
Behizad, M. 499
Bellaby, P. 431^b
Blackford, D.B. 271
Boeniger, M. 153
BOHS Technology Committee Working Party on Dustiness Estimation 535
Bord, B.S. 561^b
Bos, R.P. 35
Bostock, G.J. 271
Brazier, A.M. 63
Breum, N.O. 481
Briggs, G. 171
Brouns, R.M.E. 35
Brown, R.C. 271, 295
Burrell, R. 553^r
- Churchyard, M.P. 545
Cinkotai, F.F. 103
Conchie, A. 423
Copeland, G.K.E. 545
Courbon, P. 129
Crook, B. 515
Cumming, R.H. 499
- Davidson, R.G. 325
Davies, K.M. 535
Dawson, J. 69
De Medinilla, J. 509
De Raat, W.K. 191
Donaldson, K.D. 438^b
Doretti, L. 463
Dufresne, A. 179
Duggan, M.J. 253^b, 440^b
Dunnett, S.J. 221
- Eduard, W. 471
- Ellison, J.McK. 147^r, 564^b
Elwood, J.H. 249
Elwood, P.C. 249
Espigares, M. 509
Evans, M.J. 325
- Fabries, J.-F. 129
Faragher, E. 103
Flynn, M.R. 373
- Gerhardsson, G. 1
Gray, R. 271
Greenough, G.K. 45
- Hamlin, J.W. 325
Hammond, C.M. 535
Hancox, R. 434^b
Harper, M. 209
Hawkins, M. 153
Heikkilä, P. 241
Henderson, P.Th. 35
Hewitt, P.J. 489
Hiett, D.M. 423
Higman, R.W. 535
Holroyd, D. 171
Hooftman, R.N. 95
Hughson, G.W. 451
- Ingham, D.B. 221
Ingle, J. 145
Iskander, W. 345
- Johnston, A.M. 451
Jones, A.D. 438^b, 451
Jones, D.G. 145
Jongeneelen, F.J. 35
Jordan, B. 419
- Kenny, L.C. 115
King, E. 435^b
Knight, G. 427^c
Kotimaa, M. 241
Kurtz, J.B. 59
- Lacey, J. 515
Lam, W.K. 317
Lauzon, J. 179
Lewis, P.J. 83
Louhelainen, K. 241
- McCallum, R.I. 151^b
Madalosso, F. 463
Manninen, A. 399
Marsin, P. 153
Michaud, D. 179
Miller, B.G. 254^b
Miller, C.T. 373
Money, C.D. 411
Morgan, D.R. 69
Moulin, J.J. 430^c
Mugridge, T.J.G. 549
Muir, D.C.F. 428^c
Myers, W.R. 345, 361
- Newman, R. 153
Newman, R.H. 255^b, 433^b, 442^b
Ng, T.P. 317
Nijenhuis, E.H. 35
- Oakley, E.H.N. 549
- Parsons, J.T. 419
Pedersen, B. 385
Pendergrass, J.A. 445
Perrault, G. 179
Pfaffli, P. 203
Pickering, C.A.C. 103
Ponsford, B. 261
Posner, J.C. 333
- Rappaport, S.M. 21
Rea, M.S. 171
Renwick, J.H. 440^b
Riala, R. 215
Rood, A.P. 237
Rossini, A. 463
Rowell, F.J. 499
Rowles, S. 209
Roy, C. 179
Roza, P. 95
Rylander, R. 553^r
- Salmi, T. 241
Saunders, K.J. 325
Scheepers, P.T.J. 35
Seaborn, D. 103
Sebestyen, A. 428^c
Sharratt, M. 253^b, 562^b

Author Index

Soutar, C.A. 563^b
Spear, R.C. 21
Stanley, C. 345
Sullivan, K. 557^r
Sykes, J.J.W. 145
Sykes, J.M. 63

Thomas, C. 423
Thomas, H.F. 249

Thorne, B.D. 489
Traldi, P. 463
Tsin, T.W. 317
Tuomi, T. 241

Vainiotalo, S. 203
Veenstra, S.J. 35
Verma, D.K. 428^c

Wake, D. 271, 295
Walters, D.R. 411
Waterman, L. 557^r
Wells, A.B. 535
Winkes, A. 35
Woebkenberg, M.L. 333
Wright, A.L. 83
Wrobel, K. 129

Young, J. 171

THE ANNALS OF OCCUPATIONAL HYGIENE

NOTES FOR CONTRIBUTORS

1. Manuscripts intended for publication in the journal should be submitted to the Editor, Dr John McK. Ellison, Unit 21/22, Bridge Wharf, Caledonian Road, London N1 9RD.
2. It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the British Occupational Hygiene Society if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignments.
3. Authors should submit two copies of an original typed manuscript in *double spacing*. The text must be ready for printing, and any substantial changes in proof, other than typographical errors, may be charged to the authors.
4. Any Greek letters, or special symbols, should be identified in the margin the first time they occur on each page of the manuscript.
5. The paper should commence with an abstract of up to about 150 words.
6. Illustrations and Tables should not be inserted in the pages of the manuscript but should accompany the manuscript on separate sheets. The captions should be typed on a separate page at the end of the manuscript and not included in the text or under the illustrations.
Half-tone illustrations should be kept to a *minimum*. If lettering must appear on a photograph two prints should be submitted, one clearly lettered and the other without inscription.
Line drawings should be drawn clearly in indian ink if possible and about double the intended size. Lines should be thick enough to be clear when the illustration is reduced to a size suitable for inclusion in the journal. Lettering should be stencilled in indian ink or Letraset, again large enough for the necessary reduction, or alternatively written in pencil so that the draughtsman can reletter the diagram without having to redraw it entirely. Where possible, Tables will be directly reproduced. Original typed Tables are required (photocopies or carbons will not reproduce satisfactorily). The typing area should not be greater than 13 × 10 in. (33 × 25 cm); larger Tables should be typed on continuation sheets.
7. References: *in the text* these should be quoted in the form JONES (1950), JONES and BROWN (1950) or, if there are three or more authors, JONES *et al.* (1950). *In the reference list at the end of the paper* the names of *all* authors (surnames first, followed by initials) should be listed in alphabetical order, the title of the journal being abbreviated as in the *World List of Scientific Periodicals* (4th edition). Examples are:

FRISBY, C. B. (1954) *Industrial Medicine and Hygiene* (Edited by MEREWETHER, A.), Vol. II, p. 16. Butterworths, London.
HARRIS, C. M. (Editor) (1957) *Handbook of Noise Control*. McGraw-Hill, New York.
MAY, K. R. (1975) Aerosol impaction jets. *J. Aerosol Sci.* **6**, 403-411.
GIBSON, H. and VINCENT, J. H. (1981) The penetration of dust through porous foam filter media. *Ann. occup. Hyg.* **24**, 205-215.
ROOKER, S. J., VAUGHAN, N. P. and LE GUEN, J. M. (1982) On the visibility of fibres by phase contrast microscopy. *Am. ind. Hyg. Ass. J.* **43**, 505-515.
BS 2980 (1958) *British Standard for pure tone audiometers*. British Standards Institution, London.
8. Authors may obtain reprints by completing an order form which will accompany their proofs.

FREE Sample Copies Available On Request

ANNALS OF THE ICRP

Published on behalf of the International Commission on Radiological Protection

Scientific Secretary: **H SMITH**, *International Commission on Radiological Protection, PO Box No. 35, Didcot, Oxon OX11 0RJ, UK*

Founded in 1928, the International Commission on Radiological Protection has, since 1950, been providing general guidance on the widespread use of radiation sources caused by rapid developments in the field of nuclear energy.

The reports and recommendations of the ICRP are available as the review journal *Annals of the ICRP*. Subscribers to the journal will be assured of receiving each new report as soon as it appears, thus ensuring that they are kept abreast of the latest developments in this important field, and can build up a complete set of ICRP reports and recommendations.

Single issues of the journal are also available separately for those individuals and organizations who do not require a complete set of all ICRP publications, but would like to have their own copy of a report covering their own particular field of interest.

Subscribers to the journal save approximately 20% on the cost of purchasing single issues and may also purchase previous reports at a saving of 20% on the non-subscriber price.

A Selection of Recent Publications

- No. 54: Individual monitoring for intakes of radionuclides by workers: design and interpretation.
- No. 53: Radiation dose to patients from radiopharmaceuticals.
- No. 52: Protection of the patient in nuclear medicine.
- No. 51: Data for use in protection against external.
- No. 50: Lung cancer risk from indoor exposures to radon daughters.
- No. 49: Developmental effects of irradiation on the brain of the embryo and fetus.
- No. 48: The metabolism of plutonium and related elements.
- No. 47: Radiation protection of workers in mines.
- No. 46: Radiation protection principles for the disposal of solid radioactive waste.
- No. 45: Quantitative bases for developing a unified index of harm.
- No. 44: Protection of the patient in radiation therapy.
- No. 43: Principles of monitoring for the radiation protection of the public.
- No. 42: A compilation of the major concepts and quantities in use by ICRP.
- No. 41: Non-stochastic effects of ionizing radiation.
- No. 40: Protection of the public in the event of major radiation accidents: principles for planning.

Subscription Information

1989: Volume 20 (4 issues)
Annual subscription (1989)
Two-year rate (1989/90)
ISSN: 0146-6453

DM 250.00
DM 475.00

Advertising rate card available on request. Back issues and current subscriptions are also available in microform. The German Mark (DM) prices shown include postage and insurance, and apply in Europe, Africa, Asia/Australasia (with the exception of Japan). For the rest of the world including Japan apply to the nearest Pergamon office. Prices are subject to change without notice.

Pergamon Press plc
Headington Hill Hall
Oxford OX3 0BW UK



Pergamon Press Inc
Fairview Park, Elmsford
New York, 10523 USA

9G/3/02/88

